

TITLE OF THE INVENTION:

METHOD FOR SIMULATING MOBILITY IN AN URBAN AREA

5

The present invention relates to method for simulating mobility in an urban area.

BACKGROUND OF THE INVENTION

10 As is known, the methods for simulating urban mobility are suited for supplying a forecast of the evolution in time of the movement of vehicles and individuals within a determined urban area.

15 The currently known methods for simulating urban mobility assign to each individual and/or vehicle a precise, unique and deterministic destination, that is they determine the movements of individuals and vehicles, using deterministic formula of the origin-destination  
20 type.

In particular, in the above-mentioned methods for simulating urban mobility, a specific route and a determined speed of movement are assigned to each  
25 individual and to each means of transport, that is the movement of the individual and of the means of transport in the urban area are established a priori.

The above-mentioned methods for simulating urban mobility  
30 present the problem that they exclude any situation of an uncertain nature that originates as the individual moves in the urban area.

SUMMARY OF THE INVENTION

35 The aim of the present invention is therefore to provide a method for simulating mobility in an urban area without

the problems described above.

According to the present invention a method for  
simulating mobility in an urban area is supplied as  
5 described in claim 1.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will now be described with  
reference to the annexed drawings, which illustrate a non  
10 limiting embodiment, in which:

figure 1 illustrates a block diagram relating to a method  
for simulating mobility in an urban area operating  
according to the dictates of the present invention;

figure 2 illustrates a block diagram relating to some  
15 operations carried out in the method for simulating  
mobility in an urban area operating according to the  
dictates of the present invention;

figure 3 illustrates a block diagram relating to some  
operations carried out in the method for simulating  
20 mobility in an urban area operating according to the  
dictates of the present invention;

figure 4 illustrates a block diagram relating to some  
operations carried out in the method for simulating  
mobility in an urban area operating according to the  
dictates of the present invention; and

figure 5 illustrates a block diagram relating to some  
operations carried out in the method for simulating  
mobility in an urban area operating according to the  
dictates of the present invention.

30

#### DETAILED DESCRIPTION OF THE INVENTION

With reference to figure 1, a flow diagram is shown  
relating to a method for simulating mobility in an urban  
area suited for making a forecast of the mobility of  
35 several individuals within a determined urban area.

In particular, the simulation method is suited for forecasting the evolution of a "system" comprising a plurality of "objects" which interact with each other according to a discrete stochastic formula, which  
5 considers the mobility of each individual object, the variations of movement (flow variations) of a plurality of individual objects within the determined urban area, the restraints imposed by the bio-rhythms of the individual objects and by the chronotopical and  
10 morphological structure of the urban area.

More particularly, in the simulation model one or more destination areas present within the urban area are assigned to a predetermined number of individual objects.

15 In other words, some individuals are assigned "tendencies" of movement towards one or more destination areas indicated below with the term "chronotopes", that is towards a plurality of geographically limited areas,  
20 each one of which is within the urban area and is characterised by its own specific temporal dynamic.

In the method for simulating urban mobility, the "objects" included in the "system" are suited for defining  
25 the individuals, the chronotopes, the nodes, the paths and the means of transport present within the urban area.

The chronotope objects in turn comprise place objects, while the node objects comprise the stop objects.  
30 Each individual object is defined by the following parameters.

An individual code suited for unmistakably indicating each individual object, thus distinguishing it from the  
35 other individual objects, and comprising information such as, for example, sex, age, social condition, etc.

A finite number of "charge" parameters each indicating the tendency of the individual object to move towards one or more chronotope objects. For example, a student type  
5 individual object could include a "charge" indicating the student's tendency to move or not to move towards a university type chronotope object.

In particular, each of the "charge" parameters contains  
10 an indication of the presence or absence of the tendency (of the on/off type, equivalent to present/absent) of an individual object to move towards a determined chronotope object.

15 Each individual object also comprises a vector suited to memorise a predetermined number NUM of movements performed by the individual object, and a status indicator suited for containing three statuses, each of which indicates a specific condition of mobility of the  
20 individual object.

In particular, the individual object may present a first status indicating a condition of mobility in which he moves as a pedestrian, a second status indicating a  
25 condition of mobility in which the individual object moves as a user, that is when he is moving on a means of transport object, and a third status indicating a condition of mobility in which the individual object is in a status of waiting, that is he is at a stop object,  
30 waiting for a means of transport object.

Each individual object also comprises a parameter containing a value indicating the probability of movement of the same individual object towards a determined  
35 direction.

Each individual object also comprises a "slowness" parameter indicating the slowing down of the individual object when moving on foot (pedestrian status) through a plurality of individual objects, and a minimum distance and threshold  $D_{MIN}$ ,  $F_{MIN}$  indicating together a reference value suited to allow one to decide whether the individual object must move within the area in a random or non random manner.

10 The chronotope objects are defined by a limited area (present in the urban area) which is distinguished from the rest of the same urban area by means of its spatial character and its temporal rhythms of activity.

15 Each chronotope object is defined by the following parameters.

A name suited for identifying each chronotope object in the urban area; for example a hospital, a university, a cinema, a theatre, a sports centre, etc.

20 A geometric centre, a diameter, a number indicating the ends, a parameter indicating the number of node objects contained in the chronotope object, a parameter indicating which and how many place objects are contained  
25 in the chronotope object, a parameter indicating the number of individual objects tending to the chronotope object.

The chronotope object is further defined by the following  
30 parameters.

A parameter indicating the number  $I$  of individual objects present within the chronotope object in each instant of time, a parameter indicating a "field of attraction" that  
35 is an attraction force  $F_{ATT}$  defined by a quantized elastic force which is cancelled within the chronotope

object in such a way that each individual object, which arrives at the chronotope object, begins a random movement.

- 5 In particular the attraction force  $F_{ATT}$  may be defined by the equation  $F_{ATT} = -KX$  where  $K$  is a constant and  $X$  is the distance of the individual object measured with respect to the geometric centre of the chronotope object.
- 10 The chronotope object also comprises a number of steps of quantization of the "field of attraction" and a number of temporal steps which indicate the temporal dynamic of the chronotope, that is they define when the chronotope is "active" or "inactive".
- 15 Each chronotope object is in fact characterised by precise temporal rhythms during which the chronotope object itself is "active" and therefore "attracts" the individual objects which tend towards it, or "inactive" and therefore "does not attract" any individual object, irrespective of the tendency of the later. These temporal rhythms will be indicated below with the term "calendarisation".
- 20
- 25 For example, a university chronotope object may be "active" (accessible to individual objects) in a determined daily time interval (from 7.00 to 20.00), while a theatre chronotope object may be "active" (accessible to individual objects) in an evening time interval (from 21.00 to 24.00) and "inactive" the rest of the time.
- 30

- In this case, the theatre chronotope object presents a different "calendarisation" from the university chronotope object, that is a different temporal dynamic.
- 35 Each node object presents at least one direction of

elementary movement towards at least one adjacent node and is defined by the following parameters.

A parameter indicating the adjacent node objects, a  
5 parameter indicating the path objects that lead to the  
node object or, parameter indicating the exits which lead  
from the node object to the outside of the urban area  
concerned, a parameter indicating the chronotope object  
belonging to the node object, a parameter indicating the  
10 number  $I$  of individual objects present in the node  
object, a parameter indicating the friction  $A(I)$  of the  
node object and a parameter indicating a maximum friction  
 $A_M$ .

15 In particular, the friction  $A(I)$  of the node object is  
determined according to the number  $I$  of individual  
objects present in the node object itself.

Each node object further comprises the following  
20 parameters.

A finite number of local intensity values  $I_i$  indicating  
the attraction force  $F_{ATT}$  exerted by each chronotope  
object on the node object, a finite number of values  
25 indicating the distances  $X_i$  from each chronotope object  
present in the urban area considered and a vector which  
identifies the geometric position of the node object in  
the urban area.

30 Each node object finally comprises a parameter indicating  
whether the same node object presents the stop function,  
that is if it coincides with the stop object.

Each path object is suited for connecting each node to a  
35 respective adjacent node and is defined by the following  
parameters.

A parameter indicating the coordinates which define the initial and final point of the path object, a parameter indicating the number of exits of the path object from the urban area concerned, a path indicting how many and  
5 which node objects are present in the path object, a parameter indicating (by means of a Boolean variable) whether the path object is or is not followed by a means of transport object.

10 Each means of transport object is defined by the following parameters.

A parameter indicating the position of the means of transport object, a parameter indicting the transport  
15 line to which the means of transport object belongs, a parameter indicating the number UI and the codes of the individual objects that occupy the means of transport object, a parameter indicating the maximum capacity  $T_{MAX}$  of the means of transport object, a parameter indicating  
20 the route of the means of transport object, or the coordinates of the stop objects that may be reached in sequence by the means of transport object and a vector indicating the stop objects.

25 In particular, the parameter indicating the stop objects comprises a plurality of values, each indicating a whole index which unmistakably identifies the stop object.

Each means of transport object further comprises a number  
30 indicating how many stop objects the means of transport object encounters, a parameter indicating if the route is closes, that is if it is circular, or if it goes and comes back, a parameter indicating the speed of the means of transport object, a parameter indicating the  
35 "slowness", that is, similar to the individual object, the slowing down of the means of transport object.



Each place object is defined by a determined circumscribed area comprised within a chronotope object.

- 5 For example the university chronotope object comprises a plurality of place objects, or departments (faculty of engineering, faculty of chemistry) presenting a temporal dynamic regulated by the chronotope object to which they belong.

10

The place object is defined by the following parameters.

- 15 A parameter indicating the chronotope object to which it belongs, a parameter indicating the maximum capacity  $I_{MAX}$  of the place object, the accessibility of the place object (a Boolean variable), a field which assumes a value zero outside the chronotope object with which the place object is associated, and a constant value within the chronotope object.
- 20 The place object is further defined by all the parameters that define the chronotope object.

The stop objects are defined by the following parameters.

- 25 A code unmistakably indicating the stop object, a parameter indicating the node object in which the stop object is situated, a parameter indicating the number and the codes identifying the means of transport objects present in a determined moment of time  $t$  at the stop object, a parameter indicating the maximum number of means of transport that may be contained by the stop object, a parameter indicating the number and the codes identifying the means of transport objects expected.
- 30
- 35 The stop object is further defined by all the parameters that define the node object.

With reference to figure 1, the method for simulating urban mobility arrives initially at block 100, in which the parameters of the objects described above are  
5 initialised.

In detail, the urban area "system" is defined in block 100, that is the urban area itself is "modelled" by means of a plurality of the objects described above.  
10

In greater detail, in block 100 are initialised both the objects (path, chronotope, node, means of transport, stop) which form the structure of the urban area, and the individual objects involved in said urban area with their  
15 movements.

In particular, a correspondence (1-1) with the urban roads present in the area is associated with the path objects so as to provide a static spatial representation  
20 of the urban area itself.

Vice-versa, the node, chronotope and means of transport objects provide a temporal and dynamic representation of the urban area.  
25

In detail, to each path object are assigned a predetermined number of node objects, the distance of which (one from the other) is defined by a number  $N_p$  of temporal steps taken by an individual object or by a  
30 means of transport object to reach a determined node, starting from an adjacent node.

Each temporal step is defined by a predetermined temporal unit  $DT_1$ ; for example, two adjacent node objects can  
35 present such a distance that they may be reached by an individual object in a number of temporal steps  $N_p = 8$ ,

that is in a time interval of  $T = N_p * DT_I = 8 * DT_I$ , and by a means of transport object in a number of temporal steps  $N_p = 4$ , that is in a time interval of  $T = 4 * DT_I$ .

- 5 It is opportune to point out that the "slowness" parameter (present in both individual objects and in means of transport objects) provides a value indicating a number of steps  $N_p$  to be added in the presence of friction  $A(I)$  to the normal number of steps necessary to  
10 cover the distance between two nodes.

- In other words, the "slowness" is a parameter which indicates the number of temporal steps  $N_p$  during which the individual or means of transport object remains  
15 stopped waiting for the friction  $A(I)$  to decrease.

- The block 100 is followed by the block 110, in which the temporal unit  $DT_I$  is initialised. In this way, the distances between the node objects are defined in terms  
20 of temporal steps  $N_p$ .

- In block 110 are also initialised an initial time  $T_s$  and a final time  $T_E$  which define a temporal window ( $T_E - T_s$ ) within which urban mobility is simulated.

- 25 In block 110 are initialised, moreover, the number of temporal steps  $N_p = 0$ , and an event time which initially assumes the value  $T_R(N_p, DT_I) = T_s$ .

- 30 The event time  $T_R$  is updated by the number of temporal steps  $N_p$  according to the equation  $T_R = (N_p * DT_I) + T_s$  and is suited for indicating the instant in time  $T$  in which the simulation of mobility occurs.

- 35 The block 110 is followed by the block 120, in which the individual objects are distributed, by means of a known

statistical function, on the urban area, that is on the node objects, on the chronotope objects, on the place objects and on the means of transport objects.

- 5 In particular, in block 120 the individual objects are distributed in the objects described above, considering both the tendency of each individual object to move towards a chronotope object and the status of activity/inactivity of the latter in the instant in time
- 10  $T=T_S$ .

In block 120, each individual is therefore assigned a position and a condition of mobility indicating the status of movement of the individual object.

- 15 In particular, the condition of mobility can indicate a pedestrian status, in which the individual object is in a condition of movement on foot, a user status in which the individual object is in a condition of movement with a means of transport object, and a status of waiting in
- 20 which the individual object is present at a stop object to wait for the arrival of a means of transport object.

- The block 120 is followed by the block 130, in which the number of temporal steps  $N_P=N_P+1$  is increased, and
- 25 therefore also the event time  $T_R=T_S+(DT_I*N_P)$ .

- The block 130 is followed by the blocks 140, 150, 160 170, 180 (which will be described in detail below), in
- 30 which the chronotope, individual, node, means of transport and stop objects are updated.

- Each of the blocks 140, 150, 160 170, 180 is followed by the block 190, in which the relation  $T_R<T_E$  is checked.
- 35

In the positive case, that is if  $T_R<T_E$ , the block 190 is

followed by the block 200, in which the number of temporal steps  $N_p = N_p + 1$  is increased, and therefore also the event time  $T_R = (N_p * DT_I) + T_S$ , while if  $T_R = T_E$ , the block 190 is followed by the block 210, in which the simulation method is ended.

The block 200 is followed by the blocks 140, 150, 160 170, 180 within which takes place a new updating cycle of the objects in the new instant in time  $T = T_R$ .

In detail, in block 140 each chronotope object present in the urban area is updated at each temporal step  $N_p$  (and therefore the instant in time  $T = T_R$ ).

In greater detail, in block 140, in the instant in time  $T = T_R$ , the parameter containing the number  $I$  of individual objects present in the chronotope object is updated.

In block 140 are also updated the place objects that form a part of each chronotope object.

In detail, for each place object the parameter indicating the accessibility of the place object itself is updated.

In particular, this accessibility is determined according to the maximum capacity  $I_{MAX}$  of the place object and to the number  $I$  of individual objects present in the place object.

In greater detail, if  $I < I_{MAX}$  the place object is accessible, otherwise it is inaccessible.

Finally, in block 140 the activity/inactivity status (calendarisation) of the chronotope object is updated according to the event time  $T_R$ , that is it is estimated whether the chronotope object is active or inactive at the instant in time  $T = T_R$ .

In block 160 each node object is updated at each temporal step  $N_p$  and therefore at each increase of the event time  $T_R$ .

5

In particular, in block 160 are updated both the parameter containing the number of individual objects  $I$  present in the node object at the instant in time  $T=T_R$ , and the parameter indicating the friction  $A(I)$  present between the individual objects moving in the node object itself.

15

In detail, the updating of the friction  $A(I)$  in the node object is carried out according to the following equation  $A(I) = I/R$  of a known type, in which  $R$  is a predetermined known constant.

20

In greater detail, if the friction  $A(I)$  present in the node object is lower than a predetermined friction threshold  $ARIF$  ( $A(I) < ARIF$ ), the node object is considered free from friction and so the movement of the individual object is not liable to slowing down.

25

In this case the distance between two adjacent node objects is covered by the individual object in the initially predetermined number of temporal steps  $N_p$  (block 100).

30

If the friction  $A(I)$  present in the node object is higher than or equal to the friction threshold  $ARIF$ , the movement of the individual object present in the node object in a determined instant in time  $T=T_R$  is delayed according to the "slowness" parameter which supplies an increase value to the number of steps  $N_p$  necessary to cover the distance between two nodes.

35

In block 170 all the means of transport objects are updated at each temporal step  $N_p$  and therefore at each increase of the event time  $T_R$ .

- 5 In particular, in block 170 are updated both the parameter containing the number of individual objects  $I$  present in the means of transport object at the instant in time  $T=T_R$ , and the parameter indicating the stop object or node in which the means of transport object is  
10 present at the instant in time  $T=T_R$ .

In block 180 all the stop objects are updated at each temporal step  $N_p$  and therefore at each increase of the event time  $T_R$ .

- 15 In particular, in block 180 are updated both the parameter containing the number of individual objects  $I$  present in the stop transport object at the instant in time  $T=T_R$ , and the parameter indicating the number and  
20 the codes that identify the means of transport arriving at the temporal step  $N_p+1$ .

- With reference to figure 2, a flow diagram is illustrated with relation to the updating of the individual objects  
25 (carried out in block 150 of figure 1).

In detail, the updating of the individual objects begins in block 300.

- 30 The block 300 is followed by the block 310, in which it is checked whether the individual object has destination areas, or whether or not it tends towards a chronotope object.
- 35 In greater detail, the parameter containing the "charge" is controlled, indicating the tendency or otherwise

(on/off) of the individual object to move towards a determined chronotope object.

If the individual object has no destination area and therefore has no tendency (off) towards any chronotope object, the block 310 is followed by the block 320, in which the individual object itself is assigned a probability of uniform movement in the N directions of elementary movement (towards N adjacent nodes), that is it is assigned in an equiprobable (random) manner one of the elementary directions of movement which connect the node object (in which the individual object is situated) with the adjacent node object.

15 Instead, if the individual object tends (on) towards one or more chronotope objects, and depending on their status of activity/inactivity (calendarisation) is tending to one of these, the block 310 is followed by the block 330, in which a preferential probability for the directions that favour the approach of the individual object to the destination chronotope object is overlapped on the equiprobability of movement in the N directions.

In this way the equiprobability of movement in the N directions is influenced by the value of the attraction force  $F_{ATT} = -KX$  of the chronotope object on the individual object present in the node object.

In other words, the probabilistic component related to the directions that favour the approach of the individual object to the chronotope object to which it tends is increased.

The new direction of movement of the individual object is determined according both to the distance of the position of the individual object with respect to the destination



chronotope object associated with it and to the equiprobability of movement in the  $N$  elementary directions.

- 5 In block 320 and 330 a probable movement is therefore established for the updating of the position of the individual object.

- 10 The blocks 320 and 330 are followed by the block 340 in which the condition of mobility, that is the status of the individual object, is checked.

- 15 The block 340 is followed by the blocks 350, 360, 370 in which the status of the individual object at the instant in time  $T=T_R$  is updated.

- 20 In particular, when user status is ascertained, the block 340 is followed by the block 350 in which the user status is updated.
- 20 If pedestrian status is ascertained, the block 340 is followed by the block 360 in which the pedestrian status is updated.

- 25 Finally, if waiting status is ascertained in block 340, the block 340 is followed by the block 370 in which the waiting status is updated.

- 30 The blocks 350, 360, 370 are followed by the block 380, in which the updating of the individual object is ended.

- 35 With reference to figure 3, a flow diagram is illustrated with relation to the updating of the user status (represented in block 350 present in figure 2) of an individual object.

The updating of an individual object presenting user

status begins with the block 400, in which it is checked whether the means of transport object containing the individual object is present in a stop object.

- 5 In the positive case, that is in the case of presence of the means of transport object in a stop object, the block 400 is followed by the block 410, in which an assessment is made of the "tendency" of the individual object to move towards a chronotope object, while, in the negative case, the block 400 is followed by the block 420, in which the individual object is maintained in user status.

- 15 If the individual object has no tendency towards a chronotope object, the block 410 is followed by the block 440, in which a transition is made, in a random manner, that is in an equiprobable manner, from user status to one of the three statuses.

- 20 If user status is assigned in the block 440, the block 440 is followed by the block 450, in which the direction of movement of the means of transport object is assigned to the individual object.

- 25 If waiting status is assigned, the block 440 is followed by the block 460 in which the individual object remains in the stop object waiting for the arrival of a means of transport object.

- 30 If pedestrian status is assigned in the block 440, the block 440 is followed by the block 470, in which the individual object is shifted according to the direction of elementary movement determined in a random manner in the block 310 illustrated in figure 2.

- 35 If the individual object has a tendency towards a chronotope object, the block 410 is followed by the block

480, in which the local intensity of the attraction force  $F_{ATT}$  of the chronotope object on the stop object is compared with the predetermined minimum threshold  $F_{MIN}$ .

5 From the above description it should be pointed out that the attraction force  $F_{ATT}$  is determined ( $F_{ATT} = -K \cdot D1$ ) according to the distance  $D1$  of the stop object from the destination chronotope object.

10 If the attraction force  $F_{ATT}$  is below the predetermined minimum threshold  $F_{ATT} < F_{MIN}$ , the block 480 is followed by the block 440, in which, as described above, the new status of the individual object is assigned in an equiprobable manner.

15 If the attraction force is higher than the predetermined minimum threshold  $F_{ATT} > F_{MIN}$ , the block 480 is followed by the block 490, in which is recorded, as well as the first distance  $D1$  of the stop object (in which is situated the means of transport object) from the destination chronotope object, a second distance  $D2$  between the latter and the stop object (involved by the means of transport at the next instant in time).

25 In the block 490 the ratio between the first and the second distance  $D1/D2$  is calculated.

If the result of this ratio is below a predetermined threshold  $S2$  ( $D1/D2 < S2$ ), the block 490 is followed by the block 420, in which the individual object is again assigned user status.

30 If the result of this ratio is above the predetermined threshold  $S2$  ( $D1/D2 > S2$ ), the block 490 is followed by the block 500, in which is calculated a first temporal interval  $T1$ , which is given by the product of the time

unit  $DT_1$  and the number of temporal steps  $N_{P1}$  necessary to reach the chronotope object on foot, starting from the node object ( $T1 = DT_1 * N_{P1}$ ).

- 5 In other words, the first temporal interval  $T1$  is equal to the time necessary for the individual object to reach on foot the chronotope object to which it tends.

- 10 In the block 500 a second temporal interval  $T2$  is also calculated, which is given by the product of the time unit  $DT_1$  and the number of temporal steps  $N_{P1}$  necessary for the means of transport (which is moving in the direction of the chronotope object to which the individual object tends) to reach the stop object ( $T2 =$   
15  $DT_1 * N_{P2}$ ).

- 20 In other words, the second temporal interval  $T2$  is equal to the time taken by the individual object to wait for the arrival at the stop object of a means of transport object which is moving in direction of the chronotope object to which the same individual object tends).

- From the above description it should be pointed out that the first and the second temporal interval  $T1$ ,  $T2$  also  
25 depend on the "slowness" parameter present both in the individual object (movement on foot) and in the means of transport object.

- Finally, in block 500 the value of the ratio  $T1/T2$   
30 between the first and the second temporal interval  $T1$ ,  $T2$  is compared with a predetermined threshold  $S3$ .

- If this ratio is higher than the predetermined threshold ( $T1/T2 > S3$ ), the block 500 is followed by the block 510,  
35 in which a transition is made from user status to waiting status, while in the opposite case the block 500 is

followed by the block 520, in which a transition is made from user status to pedestrian status and the direction of movement established in block 320 of figure 2 is assigned to the individual object.

5

From the above description it should be pointed out that in waiting status the individual object waits for a means of transport object presenting a direction of movement that does not necessarily correspond to the direction of the chronotope object of the tendency, but such as to reach a stop object resenting a distance D1 from the chronotope object that is shorter than the distance presented by any one of the stop objects included in the route followed by the means of transport object on which the individual object previously presented user status.

10

With reference to figure 4, a flow diagram is illustrated with relation to the updating of the waiting status (represented in block 370 present in figure 2) of an individual object.

20

In this updating the individual object is of course present in a stop object.

25 The updating of the waiting status of an individual object begins with the block 600, in which it is checked whether the individual object ends or does not tend towards a chronotope object.

30 In the negative case, that is if the individual object has no tendency towards a chronotope object, the block 600 is followed by the block 630.

In the positive case, that is if the individual object has a tendency towards a chronotope object, the block 600 is followed by the block 610, in which is calculated a

35

first temporal interval  $T_1$ , which is given by the product of the time unit  $DT_i$  and the number of temporal steps  $N_{p1}$  necessary to reach the chronotope object on foot, starting from the node object ( $T_1 = DT_i * N_{p1}$ ).

5

In other words, the first temporal interval  $T_1$  is equal to the time necessary for the individual object to reach on foot the chronotope object, starting from the stop object.

10

In the block 610 a second temporal interval  $T_2$  is also calculated, which is given by the product of the time unit  $DT_i$  and the number of temporal steps  $N_{p2}$  necessary for the means of transport (which is moving in the direction of the chronotope object to which the individual object tends) to reach the stop object ( $T_2 = DT_i * N_{p2}$ ).

15

In other words, the second temporal interval  $T_2$  is equal to the time taken by the individual object to wait for the arrival at the stop object of a means of transport object which is moving in direction of the chronotope object to which the same individual object tends).

20

Finally, in block 610 the value of the ratio  $T_1/T_2$  between the first and the second temporal interval  $T_1$ ,  $T_2$  is compared with a predetermined threshold  $S_3$ .

25

If this ratio is lower than the predetermined threshold ( $T_1/T_2 < S_3$ ), the block 610 is followed by the block 620, in which a transition of the individual object is made from waiting status to pedestrian status and the individual object is shifted according to the direction predetermined in block 320 (illustrated in figure 2), while in the opposite case, that is if the ratio is higher than the predetermined threshold ( $T_1/T_2 > S_3$ ), the

30

35

block 610 is followed by the block 630.

In the block 630 it is checked whether the means of transport object is present in the stop object.

5

In the negative case, that is if the means of transport object has not arrived in the stop object, the block 630 is followed by the block 650, in which it is checked whether the individual object presents a tendency for a chronotope object.

10

If the individual object has a tendency for a chronotope object, the block 650 is followed by the block 660, in which the individual object maintains waiting status.

15

If the individual object does not present any tendency, the block 650 is followed by the block 670, in which it is checked whether the waiting time  $T_A$  which indicates the time that the individual object remains in the stop object exceeds a maximum tolerable time  $T_{TOL}$ .

20

If  $T_A > T_{TOL}$  the block 670 is followed by the block 680, in which the transition is made from waiting status to pedestrian status, while if  $T_A < T_{TOL}$  the block 670 is followed by the block 690, in which waiting status is maintained.

25

If the means of transport object is present in the stop object, the block 630 is followed by the block 640, in which it is checked whether the number  $I$  of individual objects present in the means of transport object is equal to the maximum capacity  $T_{MAX}$  of the means of transport object (checking capacity).

30

If  $I = T_{MAX}$  the block 640 is followed by the block 650 described above, while if  $I < T_{MAX}$ , the block 640 is

35

followed by the block 700, in which the transition is made from waiting status to user status.

With reference to figure 5, a flow diagram is illustrated  
5 with relation to the updating of the pedestrian status (represented in block 360 illustrated in figure 2) of an individual object.

The updating of the pedestrian status of an individual  
10 object begins with the block 800, in which it is checked whether the pedestrian object is in a stop object.

In the negative case, that is if the pedestrian object is not present in a stop object (and is therefore present in  
15 a node object), the block 800 is followed by the block 810, in which the individual object maintains pedestrian status.

The block 810 is followed by the block 820, in which the  
20 tendency of the individual object is checked.

If the individual object has a tendency towards a chronotope object, the block 820 is followed by the block 830, in which the individual object is shifted according  
25 to the direction established in block 320 (illustrated in figure 2), while in the opposite case the block 820 is followed by the block 840, in which the individual object is shifted according to the causal direction established in block 310 (illustrated in figure 2).

30 If the pedestrian object is in a stop object, the block 800 is followed by the block 850, in which is calculated a first temporal interval  $T_1$ , which is given by the product of the time unit  $DT_i$  and the number of temporal  
35 steps  $N_{p1}$  necessary to reach the chronotope object on foot, starting from the node object ( $T_1 = DT_i * N_{p1}$ ).



In the block 850 a second temporal interval  $T_2$  is also calculated, which is given by the product of the time unit  $DT_1$  and the number of temporal steps  $N_{p2}$  necessary for the means of transport (which is moving in the direction of the chronotope object to which the individual object tends) to reach the stop object ( $T_2 = DT_1 * N_{p2}$ ).

10 Finally, in block 850 the value of the ratio  $T_1/T_2$  between the first and the second temporal interval  $T_1$ ,  $T_2$  is compared with a predetermined threshold  $S_3$ .

15 If this ratio is higher than the predetermined threshold  $(T_1/T_2) > S_3$ , the block 850 is followed by the block 860, in which it is checked whether the means of transport object is present in the stop object, while in the opposite case the block 850 is followed by the block 810 described above.

20 If the means of transport object has not arrived in the stop object, the block 860 is followed by the block 870, in which it is checked whether the individual object has a tendency for a chronotope object.

25 If the individual object has a tendency, the block 870 is followed by the block 880, in which the transition of the individual object is made from pedestrian status to waiting status.

30 If the individual object does not have any tendency, the block 870 is followed by the block 890, in which a transition is made, in an equiprobable manner, from pedestrian status to waiting or respectively pedestrian status.

35

If waiting status is assigned, the block 890 is followed by the block 900, in which the transition of the individual object is made from pedestrian status to waiting status.

5

If pedestrian status is assigned in block 890, the block 890 is followed by the block 910, in which the individual object is shifted according to the causal direction established in block 310 (illustrated in figure 2).

10

If the means of transport object is present in the stop object, the block 860 is followed by the block 920, in which it is checked whether the number  $I$  of individual objects present in the means of transport object is equal to the maximum capacity  $T_{MAX}$  of the means of transport object.

15

If  $I = T_{MAX}$  (maximum capacity reached) the block 920 is followed by the block 870 described above, , while if  $I < T_{MAX}$ , the block 920 is followed by the block 930, in which the transition is made from pedestrian status to user status.

20

Preferably, but not necessarily, the method for simulating urban mobility carries out in block 310 (in which the movement of an individual object without tendency is established) the control of the last  $N$  node objects previously "visited" and memorised.

25

The method for simulating urban mobility determines the new movement in an equiprobable manner, considering that the last  $N$  node objects previously "visited" cannot be visited before  $N$  temporal steps  $N_p$  have elapsed.

30

From the above description it should be pointed out that, in the method for simulating urban mobility, if an

35

individual object presents a "slowness" (calculated according to the friction  $A(I)$  present in the node object in which the individual object is situated) higher than a predetermined threshold, for example equal to one, the movement of the individual object is accomplished only after a number of temporal steps  $N_p$  equal to the "slowness" have elapsed, unless in the meantime the friction  $A(I)$  present in the node object has fallen below the predetermined threshold (de-crowding of the node object).

Finally it should be pointed out that, if an individual object with a tendency arrives in a chronotope object of tendency, and this chronotope comprises one or more place objects, the short range field parameter of these latter means that an individual object remains still in the place object and therefore in the chronotope object for a period of time equal to the activity time of the chronotope object.

The method for simulating urban mobility presents the advantage of simulating the evolution of urban mobility more realistically than the methods currently known, as it considers both the intentions of the individuals to go towards determined places, and the uncertain nature of the movement made through the urban area by each individual.

The method for simulating urban mobility in fact allows the study of the critical nature of one or more control parameters, considering the urban area as a complex "system" which organises itself and is able to manage the "tendencies" and the individual requests of mobility.

The method for simulating urban mobility may also be implemented to advantage by means of an electronic

calculator, which allows the graphic display of the objects described above and their temporal evolution, thus allowing a direct control of the dynamic of the "system".

5

In particular, this implementation advantageously allows the consequences of a determined urban planning to be forecast, that is it allows the interactions between the objects included in the "system" to be checked and any parameter characterising the urban area itself to be altered beforehand so as to cancel or reduce any possible critical status of urban mobility.

10

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
220